KOREA
HYUNDALLAC HEADQUARTER
East Central Town Fouring, 1077.
Choortho-daws. Cangdong-gu, Sooul, Korea (05340)
Tel. 482 2684 7488
Emill, Info Stores@hyundalno.com
www.hanex.com















DESIGN BOOK

Inspired by the Splendor of Nature







Index

please refer to the at

Cascade









CC-004 CASCADE BEIGE



CC-005 CASCADE WHITE



CC-006 CASCADE BLACK

Venato



VM-001 VENATO SPARKLE





Stratum



Bellassimo










Large Particulate


















Small Particulate



Solid



Benefits of Hanex®

Hanex Solid Surface is an acrylic solid surface material which is composed of Methyl Methacrylate (MMA) and Poly Methyl Methacrylate (PMMA) resin filled with Alumina-Trihydrate and other specialized formula to give it a timeless beauty and quality.




Seamless Design

Sheets can be bonded together with inconspicuous seams. Smooth integration allows large areas without joints.



Recyclable

Hanex is an eco-friendly material, as it is renewable and can be used again in its production process.



No radon detected

Hanex is a safe product with no first-class carcinogen



Anti-Bacteria

Hanex is capable of withstanding the spread of other harmful germs and bestering



Translucent

Various thickness of Hanex exhibit a special translucency when exposed to light.



Thermoform

Sheets can be thermoformed to create curves of shapes

Movement Collection

Hanex is an acrylic solid surface material that is resistant to stains and chemicals and can be molded in a variety of designs with unique combinations of acrylic resin and natural materials. It pursues flexible and scalable designs that can be applied to various spaces such as kitchens, hotels, healthcare, and transportation, and increases the completeness of the space.



Movement Collection



Cascade New

Inspired by the natural beauty of cascading waterfalls. Cascade collection features feathery veining with subtle color variation that perfectly resemble the effortless flow of water. Its low color contrast trait allows Hanex to be matched with any interior space.



Venato New

the design and manufacture of solid surfaces which are not merely imitation of the real marble.

After having reinterpreted the texture and vein of calacatta, Hanex now offers a new way of considering the



Stratum

Stratum series is inspired by nature in a worldly perspective and is full filled with a soft range of colors and unique, organic patterns. You discover the artistic, unconventional scene of the nature. Enjoy the new New of the earth. Create your own, unique and long-lasting atmosphere in the syle of the depth and boundlessness of stone.




Bellassimo

Discover the greatness and glory of Bellassimo collection which is inspired by the beauty of the night sky and twilight. The vein expresses the colorful beauty of the sky, and the chip decorates the startight of the night sky. Inspired by the Splendor of Nature


Cascade New


Inspired by the natural beauty of cascading waterfalls. Cascade collection features delicate veining and subtle variation that perfectly resemble the effortless flow of water. Its low color contrast trait allows Hanex to be matched with any interior space.



Movement Collection














Inspired by the Splendor of Nature

Venato New

Venato is a series of Hanex into the design and manufacture of solid surfaces which are not merely imitations of the real marble. After having reinterpreted the texture and vein of calacatta, Hanex now offers a new way of considering the preciousness of a noble Italian marble. Movement Collection
Venato
23







Movement Collection
Ventato

27

vement Collection 02 - Venato Snow

VMI-002 | VENATO SNOW | 12mm X 760mm(M) X 3.680mm(L) / 59.4kg



Inspired by the Splendor of Nature

Stratum

This set of premium solid surfaces is inspired by the wispy movement and strata patterns within rocks and stones. The collection's timeless colors and styles offer incredible vibrancy, beauty and versatility-each can be effortlessly shaped into almost any form or structure by molding, machining or other appropriate processing.

This means they're undeniably ideal for countertops, shower walls and commercial interiors. Beyond that, Stratum can be used for interior accessories like clocks, frames, or chairs, and many others. ratum





ST-204 | MARRON

ST-101 | CLARA


Movement Collection

200 200 300

ST-302 | BIANCO CLASSICO

ST-303 | VOLARE

ST-201 | ROMANO








Full Sheet ST-204 | MARRON 12mm X 780mm(W) X 3,880mm(L) 769.4kg









Bellassimo

The colors within our Bellassimo Collection fuse versatility with beauty. Each of the colors are engineered to help you create an environment that impacts everyday lives.

The designs themselves are inspired by the flow of nature: ocean waves, winds rustling trees, shifting sands and craggy stone, making them a perfect fit for a range of stylisticles choices, from modernism to something timeless.










BL-209 | MACASSAR

Movement Collection

BL-256 | MOUNTAIN FROST





Full Sheet BL-201 | KASHMERE 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



Full Sheet BL-209 | MACASSAR | 12mm X 760mm(M) X 3,680mm(L) / 59.4kg


BL-209 | MACASSAR Detail View




B1.-256 | MOUNTAIN FROST | Detail View |

Hanes's premium solid surface, Large Particulate provides an elegant pattern and transparency to express reflected light.









Reference

54

Reference is where Hanex's various collections are applied, architectural and interior designers around the world.

We use Hanex to create diverse cultures.




2 Corporate / Terminus (Shenzhen, China

Gorporate / Aekyung Corp(Seoul, Kore









esidentiai / Hyundai L&C Snow room(secui, Korea)
BL-208 Slate Grey

dential / Private Residence(California, US) 2 BL-256 Mountain Frost

tesidential / Livart Show room(Yongin, Korea)

T-228 Minerva RE-05 Yuri Grey

Residential / Aekyung Corp(Seoul, Korea)

Residential / Theta Offices Bucharest, Romania











Material Safety Data Sheet

Hanex has various colors and patterns, and is made of the same materials both inside and outside. It can compensate the disadvantages of laminate and coating. It can also be processed in limitless forms in which is not possible with laminate and natural stone.



Fire-Fighting Measures & Explosion

Flammable Properties

"HANEX" can be combusted only with difficulty.

Hazardous gases/vapor produced in fire are carbon monoxide,
methyl methanylate, aldehydes.

Extinguishing Media

Water, Dry chemical, CC

Fire Fighting Instructions

Keep personnel removed and upwind of fire. Wear self-contained breathing annaratus.



Accidental Release Measures

Safeguard (Personnel)

NOTE: Review RRE RIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up.
Use appropriate PERSONAL PROTECTIVE during clean up.

Spill Clean Up

Recover undamaged and minimally contaminated



Handling And Storage

• Handling

Avoid breathing fumes generated during sawing, routing or drilling.

Avoid dust generation

Storage

Store in a cool place



Exposure Controls & Personal Protection

• Engineering Controls (Ventilation)

Use ventilation that is adequate to keep employee exposure to air home concentration below exposure limits

Personal Protection

Protective equipment: EYE/FACE PROTECTION

Wear safety glasses during operations such as sawing,
capeling, drilling or multipa



Disposal Consideration

Dispose in accordance with federal, state and local regulation.

The owner of the material is responsible for proper waste disposal.



Other Information

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: "HANEX" products

64

Certification













Composition And Information On Ingredients

Component	CAS	%
Polymethylmethacrylate	8011-14-7	>30
Alumina Trihydrate	21645-51-2	<70
Methylmethcrylate (Degradation Product)	80-62-6	<1

Heated above 300 dCe,g "HANEX" can release.

Material Safety Data Sheet

Technical Specification

Specificaiton	Result	Test Method
Specific Gravity	1.7	ASTM D792-08
Rockwell Hardness	90	ASTM D785-08
Tensile Strength	43.8 Mpa	ASTM D638-10
Tensile Modulus of Elasticity	12.6 Gpa	ASTM D638-10
lexural Strength	58.8 Mpa	ASTM D790-10
Rexural Modulus of Elasticity	10.6 GPa	ASTM D790-10
zod Impact Strength	16 J/m	ASTM D256-10
Vater Absorption	0.036 % (24h Immersion)	ASTM D570-98
Desnsity	1.7 g/cm2	ASTM D792-08
leat Resistance Test	No Defects	JIS K 6902 : 2008
Hot Water Resistance Test	No Defects	JIS K 6902 : 2008
Deflection Temperature Under (1.82MPa)	115 oC	ASTM D648-07
hermal Expansion	3.93 x 10-5 1/oC	JIS K 6911 : 2006
Compressive Strength	118 Mpa	ISO 604 : 2002
ight Resistance	No Effect	NEMA LD3 3.03
Soiling Water	No Effect	NEMA LD3 3.05
Ball Impact Resistance	No Fracture on 3 Impacts	NEMA LD3 3.08
Resistance to Impact by Large Diameter Ball	Max Impact Height : 2m	ISO 4586-2
Point Impact Resistance	No Cracks or Chips	ANSI Z124.3 4.3
Stain Resistance Test	Pass	ANSI Z124.3 5.2
Vear and Cleanability Test	Pass	ANSI Z124.3 5.3
Digarette Test	Pass	ANSI Z124.3 5.4
uropean Railway Standard for Fire Safety	R1, HL3	EN 45545
Resistance to Bacteria	No Growth	ASTM G22
Resistance to Fungi	No Growth	ASTM G21
European classification standard	B-s1, d0	EN 13501-1
Façade Panel	ETA (European Technical Assessment)	DIBT
Weatherability (1.000 Hr) - Special Color Only	No Visual Change	ASTM G155

65

Global Network

Hanex is ready to meet you anytime from all over the world.



Showroom

Sales Market



Global Network

Central Office

HYUNDAI L&C HEADQUARTER

East Central Tower Building, 1077, Cheonho-daero, Gangdong-gu, Seoul, Korea (05340) Tel: +82 2 6364 7488 / E-mail: info.stone@hyundailnc.com

HYUNDAI L&C USA LLC

Suite 1100, 2839 Paces Ferry Rd, Atlanta, GA, USA (30339) Tel: +1 888 426 9421 / E-mail: info@hanexsolidsurfaces.com Web: www.hanexsolidsurfaces.com

HYUNDAI L&C EUROPE GMBH

Düsseldorfer Str. 13, Eschborn, Germany (65760)
Tel: +49 619 6586 9010 / E-mail: info@hyundainc.eu /
Web: hyundainc.eu

HYUNDAI L&C INDIA PVT LTD

Unit No. 1903, JMD Regent Square Building, MG Road, Gurugram, Haryana, India (122001) Tel: +91 96679 21158 / E-mail: ask.india@hyundailnc.com

HYUNDAI L&C TRADING (SHANGHAI) CO., LTD

Room 603, Mixc Mall A, Wuzhong Road 1799, Min-Hang District, Shanghai, China Tel: +86 21 3252 2291 / E-mail: sz.wang@hyundaish.com / Web: hyundailnc.cn

DESIGN CENTER

East Central Tower Building, 1077, Cheonho-daero, Gangdong-Gu, Seoul, Korea (05340) Tel: +82 80 729 8272 / F-mail: info.stone@hw.undailnc.com

&D CENTER

37, Buganggeumho-ro, Bugang-myeon, Sejong-si, Korea (30074) Tel: +82 44 279 8000 / E-mail; info.stone@hvundailnc.com

Plant

L-TECH, SEJONG PLANT

37, Buganggeumho-ro, Bugang-myeon, Sejong-si, Korea (30074)

C-TECH, SEJONG PLANT

79-20, Geumhoangol-gil, Bugang-myeon, Sejong-Korea (30077) Tel: +82 44 279 8000

AMERICAN SURFACING MATERIALS

2101 Baker Blvd, Temple, TX, USA (76501 Tel: +1 254 925 2601

HYUNDAI L&C CANADA

Address: 2860 Innovation Drive, London, Ontario, Canada (N6M 0C5)
Tel: +1 519 951 3154 / E-mail: info@hanstone.ca /

Showroom

VAUGHAN SHOWROOM

150 Caldari Road, Vaughan, Ontario (L4K 4L1) Tel: +1 905 660 3770

GALLERY Q

Nonhyeon-ro, Gangnam-gu, Seoul, Korea (06051)
 +82 2 508 4485

WEST COAST

16031 Carmenita Rd, Cerritos, CA, USA (90703) Tel: +1 562 6230600

SOUTHEAST

335 Riverside Parkway, Austell, GA, USA (30168)
Tel: +1 678 398 2513

MIDWEST

2833 Charter St, Columbus, OH, USA (43228 Tel: +1 614 9690100

MID-ATLANTIC

135 Hartman Rd, North Wales, PA, USA (19454) Tel: +1 215 646 2546

NEW ENGLAND

292 Lonczak Rd, Chicopee, MA, USA (01022) Tel: +1.413.240.4400